Printing these slides

- **Use the plotter/printer located in the SAIC office, Ows-hp755cm-ops**
- **Print Settings:**
  - **Print What: Handouts**
  - **Slides per page: 9**
  - **Order: Horizontal**
- **Printer Properties, Paper Size:**
  - **Landscape**
  - **ANSI E 33X44” paper**
  - **Coated, Roll, 36 in. Roll**
  - **No Scaling**

Altus AFB

Weather Warnings/Advisories



Last Qtr:

Required:	20	Met DLT:	15	Missed/Negative LT:	1
Issued:	61	Positive LT:	19	False Alarms:	41

Barksdale AFB
Weather Warnings/Advisories



Last Qtr:

Required:	**26**	**Met DLT:**	**22**	**Missed/Negative LT:**	**1**
Issued:	**56**	**Positive LT:**	**25**	**False Alarms:**	**30**

Columbus AFB

Weather Warnings/Advisories



Last Qtr:

Required:	**37**	**Met DLT:**	**30**	**Missed/Negative LT:**	**2**
Issued:	**78**	**Positive LT:**	**35**	**False Alarms:**	**43**

Dyess AFB

Weather Warnings/Advisories



Last Qtr:

Required:	**19**	**Met DLT:**	**15**	**Missed/Negative LT:**	**1**
Issued:	**62**	**Positive LT:**	**18**	**False Alarms:**	**43**

Ft. Hood
Weather Warnings/Advisories



Last Qtr:

Required:	**25**	**Met DLT:**	**21**	**Missed/Negative LT:**	**0**
Issued:	**50**	**Positive LT:**	**25**	**False Alarms:**	**25**

Ft. Leonard Wood
Weather Warnings/Advisories



Last Qtr: Y R R GbM Y

Required:	**21**	**Met DLT:**	**11**	**Missed/Negative LT:**	**0**
Issued:	**59**	**Positive LT:**	**19**	**False Alarms:**	**38**

Ft. Sill

Weather Warnings/Advisories



Last Qtr:

Required:	**21**	**Met DLT:**	**16**	**Missed/Negative LT:**	**0**
Issued:	**44**	**Positive LT:**	**20**	**False Alarms:**	**23**

“Global Vigilance Global Reach Global Power”

Ft. Polk

Weather Warnings/Advisories



Last Qtr:

Required: 37 Met DLT: 33 Missed/Negative LT: 1
Issued: 67 Positive LT: 36 False Alarms: 30

Keesler AFB

Weather Warnings/Advisories



Last Qtr:

Required:	**58**	**Met DLT:**	**43**	**Missed/Negative LT:**	**2**
Issued:	**103**	**Positive LT:**	**56**	**False Alarms:**	**45**

Lackland AFB

Weather Warnings/Advisories



Last Qtr:

Required:	**45**	**Met DLT:**	**36**	**Missed/Negative LT:**	**2**
Issued:	**109**	**Positive LT:**	**43**	**False Alarms:**	**64**

"Global Vigilance Global Reach Global Power"

Laughlin AFB

Weather Warnings/Advisories



Last Qtr:

Required:	**34**	**Met DLT:**	**22**	**Missed/Negative LT:**	**2**
Issued:	**75**	**Positive LT:**	**32**	**False Alarms:**	**41**

Little Rock AFB
Weather Warnings/Advisories



Last Qtr:

Required:	21	Met DLT:	16	Missed/Negative LT:	3
Issued:	63	Positive LT:	19	False Alarms:	42

McConnell AFB

Weather Warnings/Advisories



Last Qtr:

Required:	32	Met DLT:	22	Missed/Negative LT:	1
Issued:	66	Positive LT:	31	False Alarms:	34

“Global Vigilance Global Reach Global Power”

Randolph AFB
Weather Warnings/Advisories



Last Qtr:

Required:	**43**	**Met DLT:**	**31**	**Missed/Negative LT:**	**3**
Issued:	**98**	**Positive LT:**	**37**	**False Alarms:**	**55**

Sheppard AFB
Weather Warnings/Advisories



Last Qtr:

Required:	**15**	**Met DLT:**	**8**	**Missed/Negative LT:**	**2**
Issued:	**38**	**Positive LT:**	**13**	**False Alarms:**	**23**

“Global Vigilance Global Reach Global Power”

Tinker AFB

Weather Warnings/Advisories



Last Qtr:

Required:	**14**	**Met DLT:**	**11**	**Missed/Negative LT:**	**0**
Issued:	**32**	**Positive LT:**	**14**	**False Alarms:**	**18**

Vance AFB

Weather Warnings/Advisories



Last Qtr:

Required:	**13**	**Met DLT:**	**11**	**Missed/Negative LT:**	**1**
Issued:	**40**	**Positive LT:**	**12**	**False Alarms:**	**27**

"Global Vigilance   Global Reach   Global Power"

Whiteman AFB
Weather Warnings/Advisories



Last Qtr:

Required:	**55**	**Met DLT:**	**39**	**Missed/Negative LT:**	**2**
Issued:	**92**	**Positive LT:**	**53**	**False Alarms:**	**37**

26 OWS Summary of CWT Sites Weather Warnings/Advisories



Last Qtr:

Required: 536 Met DLT: 402 Missed/Negative LT: 23
Issued: 1193 Positive LT: 507 False Alarms: 659

"Global Vigilance Global Reach Global Power"

Met DLT: Percent of warnings that verified and met desired lead time

-ACC Standard is 65% (Blue line)

Positive LT: Percent of warnings that verified and had positive lead time

-ACC Standard is 90% (Maroon line)

False Alarm: Percent issued but did not occur (lower is better)

-ACC Standard is 50% (Yellow line)